

# Environmental Declaration Type II

## GENERAL PRODUCT INFORMATION

<i>Name of product(s)</i>	<i>Packaging</i>
TG-MH3 series	Cardboard

## COMPANY INFORMATION

### *Company, address and telephone*

AB REGIN

Box 116

SE-428 22 Kållerød

Sweden

Tel: +46 - (0)31 - 720 02 00

E-mail: info@regin.se

### *Company description*

Regin is the collected trademark for products and systems in building automation. The company's knowledge is based on many years of wide experience in control, automation and flow control. AB Regin has a certified quality assurance system according to ISO 9001.

### *Ongoing environmental work*

Regin designs products on commission from clients as well as for resale. Regin can control environmental aspects related to product development and when choosing suppliers and components.

## PRODUCT INFORMATION

### *General*

The recommended field of application is stated in the technical documentation.

There is an unambiguous and lasting label (manufacturer, product name, serial number etc) on the product.

The labelling is linked to the technical documentation which makes the product clearly identifiable.

### *Product design*

The product consists of a divisible plastic housing (bottom and cover), M16 cable gland, measuring element with terminal, conductor and a sensor cable.

<i>Component modules</i>	Weight grams	Weight %
Pipe	12	6
Mounting bracket	15	7
Terminal block	4	2
Cable gland	5	2
Casing	67	31
Sensor cable	104	48
PCB	1	>1
Spring	6	3
Screw	2	1

## PRODUCT INFORMATION, RESOURCES AND HAZARDOUS SUBSTANCES

<b>Component modules</b>	<b>Resources</b> (metals, organic, non-organic substances)	<b>Hazardous substances</b> (Kd, Hg, Pb, PCB, PVC, PBB, PBBE etc)
Pipe	Stainless steel SUS304	
Mounting bracket	TPE	
Terminal block	PA66, steel, brass	
Cable gland	PA66	
Casing	PC	
Sensor cable	Cu, PVC, Fe	PVC
PCB	Glass fiber	
Spring	Stainless steel	
Screw	Stainless steel	

### Notes, the product's content

---

## PRODUCTION

The components are mounted manually and automatically and are thereafter soldered together with classified soldering. The environmental consequences are negligible and consist solely of air outlet from soldering.

The operation does not require licencing

## DISTRIBUTION

<b>Production origin</b>	China
<b>Mode of transportation</b>	Lorry, train, boat
<b>Mode of distribution</b>	The product is normally distributed via a warehouse/wholesaler
<b>Wrapping Material</b>	Wood, paper, plastic

Packaging material can not be returned.  
AB Regin is connected to FTI.

## BUILDING PHASE

Documented instructions for mounting and commissioning are included with the product.

The instructions contain recommendations concerning

- Safeguard measurement for handling procedures and mounting.
- Handling of the product at the workplace and during mounting.

## USAGE PHASE

### Normal operation

The product requires energy (electricity) during normal operation. Power consumption is <2.5VA. The product does not have any environmental impact on the surrounding environment during normal operation.

Normally, the product does not require any maintenance.

It is possible to estimate the product's life span in advance.

There is no documentation concerning the expected life span when the product is under different conditions.

Documented instructions for appropriate operation and maintenance are supplied with the product.

### Emergency

In case of fire the plastic may emit gases harmful to human health. The amounts of these substances are small compared with the size of the product.

Circuit boards may emit toxic flue gases.

## **DEMOLITION**

The product is prepared for environmental-friendly dismantling.

Dismantling of the product:

1. Open the product cover according to the supplied instructions.
2. Use a screwdriver or other appropriate tool to separate the plastic and electronic parts and recycle at appropriate facility.

## **WASTE MANAGEMENT**

The long life span of the product means that the recycling situation may differ from today when the product is recycled.

The product is required, by law, to be handled according to standard waste management procedures.

The materials can easily be separated to a high separation degree.

Plastic parts can, theoretically, be recycled. Recovering of energy through combustion is considered the best option in the present situation, since the plastic does not contain any substances dangerous to the environment.

Circuit boards with components are required by law to be dismantled and constituent components to be identified. Swedish companies in electronic recycling separate in three main fractions. Recycling of materials, recovering of energy and dangerous waste.

Identified metallic constituents are returned to metal recycling.

Combustible materials are returned for safe disposal in a licenced incinerator.

Dangerous waste is returned for destruction to a licenced entrepreneur.