

## Name of Product(s) / Product Art.no

RCX-T  
RCX-T-D  
RCX-TC  
RCX-TC-D  
RCX-TP  
RCX-TP-D  
RCX-TH-D  
RCX-TCP-D  
RCX-THCVP  
RCX-THCVP-D  
RCX-T-D-BLACK  
RCX-TC-D-BLACK  
RCX-THCVP-D-BLACK



## COMPANY INFORMATION

### Description

Regin is the collected trademark for products and systems in building automation. The company's knowledge is based on many years of wide experience in control, automation and flow control.

AB Regin has a certified quality assurance system according to ISO 9001.

Company: AB Regin

Post: Sweden, Box 116, 428 22, Kållerød

Phone: +46 – (0)31 720 02 00

E-mail: [info@regin.se](mailto:info@regin.se)

Website: <https://www.regincontrols.com>

### Environmental policy

Regin develops products both on a commissioned basis and for general market distribution. Environmental considerations are integrated into product development processes and supplier and component selection.

## PRODUCT INFORMATION

### General

The recommended field of application is stated in the technical documentation.

There is an unambiguous and lasting label (manufacturer, product name, serial number etc) on the product.

The labelling is linked to the technical documentation which makes the product clearly identifiable.

**Country of origin:** Sweden

## USAGE

### Normal operation

The product does not have any environmental impact on the surrounding environment during normal operation.

Please visit our website for products technical documents, installation or user manuals.

### Waste management

The product is prepared for environmental-friendly dismantling and sorts according to the WEEE-directive. The long lifespan of the product means that the recycling situation may differ from when the product is acquired and to be recycled.

The product is required, by law, to be handled according to standard waste management procedures. The materials can easily be separated to a high separation degree.

Dismantling of the product: separate the plastic, metals and electronic parts and recycle at appropriate facility and according to local laws.

### Packaging

Cardboard box: 21g

Technical documents: 10g

Disposal: Recyclable, disposes according to local law.

## METHODOLOGICAL ASSUMPTIONS

### Weight tolerance

All stated total weights in this document are subject to a tolerance of  $\pm 3\%$ .

### Cut-off rules

Certain minor materials used in electronic products, such as solder and product labels, are excluded from the weight breakdown due to their insignificant contribution to total weight and limited data relevance. All reasonable efforts have been made to ensure that these exclusions do not lead to misleading environmental information.

### Data availability

Underlying material data and weight measurements are documented internally and available upon request.

## Component modules & materials

### Subcomponents in different models

Components	CAS nr	RCX-T		RCX-T-D		RCX-TC		RCX-TC-D	
		Weight (g)	Weight (%)	Weight (g)	Weight (%)	Weight (g)	Weight (%)	Weight (g)	Weight (%)
<b>Housing</b>		<b>46,43</b>	<b>58,85%</b>	<b>46,43</b>	<b>58,29%</b>	<b>46,43</b>	<b>57,42%</b>	<b>46,43</b>	<b>56,89%</b>
Polycarbonate (PC)	24936-68-3	46,43	58,85%	46,43	58,29%	46,43	57,42%	46,43	56,89%
<b>Electronics</b>		<b>32,46</b>	<b>41,15%</b>	<b>33,22</b>	<b>41,71%</b>	<b>34,43</b>	<b>42,58%</b>	<b>35,19</b>	<b>43,11%</b>
Connectors		0,17	0,21%	0,17	0,21%	0,79	0,98%	0,79	0,97%
LEDs		0,00	0,00%	0,13	0,16%	0,00	0,00%	0,13	0,16%
Passive Components		5,64	7,15%	5,85	7,35%	5,67	7,02%	5,89	7,21%
Power and Circuit Protection		0,28	0,36%	0,28	0,35%	0,28	0,35%	0,28	0,34%
Printed Circuit Board		25,00	31,69%	25,00	31,39%	25,71	31,79%	25,71	31,50%
RF, Microwave and Wireless Connectivity		0,27	0,35%	0,27	0,34%	0,27	0,34%	0,27	0,33%
Semiconductors		1,09	1,38%	1,51	1,90%	1,09	1,35%	1,51	1,85%
Sensors		0,01	0,01%	0,01	0,01%	0,61	0,75%	0,61	0,74%
<b>Total weight</b>		<b>78,89</b>		<b>79,65</b>		<b>80,86</b>		<b>81,62</b>	

## Component modules & materials

### Subcomponents in different models

Components	CAS nr	RCX-TP		RCX-TP-D		RCX-TH-D	
		Weight (g)	Weight (%)	Weight (g)	Weight (%)	Weight (g)	Weight (%)
<b>Housing</b>		<b>46,43</b>	<b>55,86%</b>	<b>46,43</b>	<b>55,35%</b>	<b>46,43</b>	<b>58,29%</b>
Polycarbonate (PC)	24936-68-3	46,43	55,86%	46,43	55,35%	46,43	58,29%
<b>Electronics</b>		<b>36,69</b>	<b>44,14%</b>	<b>37,45</b>	<b>44,65%</b>	<b>33,22</b>	<b>41,71%</b>
Connectors		0,46	0,55%	0,46	0,55%	0,17	0,21%
LEDs		0,00	0,00%	0,13	0,16%	0,13	0,16%
Passive Components		5,65	6,80%	5,86	6,99%	5,85	7,35%
Power and Circuit Protection		0,28	0,34%	0,28	0,34%	0,28	0,35%
Printed Circuit Board		25,50	30,68%	25,50	30,40%	25,00	31,39%
RF, Microwave and Wireless Connectivity		0,27	0,33%	0,27	0,33%	0,27	0,34%
Semiconductors		1,09	1,31%	1,51	1,80%	1,51	1,90%
Sensors		3,43	4,13%	3,43	4,09%	0,01	0,01%
<b>Total weight</b>		<b>83,12</b>		<b>83,88</b>		<b>79,65</b>	

## Component modules & materials

### Subcomponents in different models

Components	CAS nr	RCX-TCP-D		RCX-THCVP		RCX-THCVP-D	
		Weight (g)	Weight (%)	Weight (g)	Weight (%)	Weight (g)	Weight (%)
<b>Housing</b>		<b>46,43</b>	<b>54,40%</b>	<b>46,43</b>	<b>54,85%</b>	<b>46,43</b>	<b>54,05%</b>
Polycarbonate (PC)	24936-68-3	46,43	54,40%	46,43	54,85%	46,43	54,05%
<b>Electronics</b>		<b>38,91</b>	<b>45,60%</b>	<b>38,22</b>	<b>45,15%</b>	<b>39,48</b>	<b>45,95%</b>
Connectors		1,09	1,28%	1,09	1,29%	1,09	1,27%
LEDs		0,13	0,15%	0,00	0,00%	0,13	0,15%
Passive Components		5,89	6,90%	5,69	6,73%	5,91	6,87%
Power and Circuit Protection		0,28	0,33%	0,28	0,33%	0,28	0,33%
Printed Circuit Board		25,71	30,13%	25,71	30,37%	26,21	30,51%
RF, Microwave and Wireless Connectivity		0,27	0,32%	0,27	0,32%	0,27	0,32%
Semiconductors		1,50	1,76%	1,09	1,29%	1,51	1,76%
Sensors		4,03	4,73%	4,08	4,82%	4,08	4,75%
<b>Total weight</b>		<b>85,34</b>		<b>84,65</b>		<b>85,91</b>	

## Component modules & materials

### Subcomponents in different models

Components	CAS nr	RCX-THCVP-D-BLACK		RCX-TC-D-BLACK		RCX-T-D-BLACK	
		Weight (g)	Weight (%)	Weight (g)	Weight (%)	Weight (g)	Weight (%)
<b>Housing</b>		<b>44,00</b>	<b>52,71%</b>	<b>44,00</b>	<b>55,56%</b>	<b>44,00</b>	<b>56,98%</b>
Polycarbonate (PC)	24936-68-3	14,30	17,13%	14,30	18,06%	14,30	18,52%
Methylmethacrylate Acrylonitrile Butadiene Styrene (MABS)	9010-94-0	29,70	35,58%	29,70	37,50%	29,70	38,46%
<b>Electronics</b>		<b>39,48</b>	<b>47,29%</b>	<b>35,19</b>	<b>44,44%</b>	<b>33,22</b>	<b>43,02%</b>
Connectors		1,09	1,30%	0,79	1,00%	0,17	0,21%
LEDs		0,13	0,16%	0,13	0,17%	0,13	0,17%
Passive Components		5,91	7,07%	5,89	7,43%	5,85	7,58%
Power and Circuit Protection		0,28	0,34%	0,28	0,36%	0,28	0,36%
Printed Circuit Board		26,21	31,40%	25,71	32,47%	25,00	32,37%
RF, Microwave and Wireless Connectivity		0,27	0,33%	0,27	0,34%	0,27	0,35%
Semiconductors		1,51	1,81%	1,51	1,91%	1,51	1,95%
Sensors		4,08	4,89%	0,61	0,77%	0,01	0,01%
<b>Total weight</b>		<b>83,48</b>		<b>79,19</b>		<b>77,22</b>	